Index, Volume 37

Abernethy, Rollin H., 509
Acceptable block beef from steers grazing range and crop forages, 122
Achouri, Moujahed, 451
Adams, John C., 142, 269
Adaptability, 211
Agbakoba, A.M., 415
Age prediction methods, 362
Agropyron desertorum, 353
Agropyron spp., 25, 206, 365
Albedo, 277
Alpaca food habits, 330
Anderson, D.L., 321
Anderson, Jay E., 79
Andropogon gerardi, 147
Ansley, R. James, 509
Antelope, 560
Aristida longiseta, 387
Armijo-T., J. Roberto, 195
Armour, Charles D., 44
Artemisia cana cana, 503
Artemisia nova, 370
Artemisia spp., 262, 298, 353
Asay, K.H., 365
Aspen, 156, 521
Atrazine, 412
Atriplex canescens, 22
Atriplex gardneri, 509

B

Bailey, A.W., 156
Balliette, John F., 218
Baltensperger, Arden A., 77
Beaver, 142
Bedunah, Donald J., 483
Beetle, Alan A., 165, 269
Berg, William A., 180
Bermudagrass, 496
Bethlenfalvay, Gabor J., 312
Big sacaton, 377
Bighorn sheep food habits, 67
Birds, 239
Bison and cattle competition, 260
Black grass bug, 365
Black-tailed prairie dog food habits and forage relationships in western South Dakota, 325
Blackburn, W.H., 265, 291, 303, 534
Blankenship, Lytle H., 442
Blue grama, 28, 40, 412, 447, 514
Bock, Carl E., 239
Bock, Jane H., 239
Booth, D. Terrance, 222, 286
Botanical composition of diets of cattle grazing south Florida rangeland, 334
Bothriochloa spp., 180
Bouteloua gracilis, 25, 28, 412, 447, 514
Bouteloua spp., 40
Bowman, R.A., 225
Bromus inermis, 159
Bromus japonicus, 387
Brotherson, J.D., 321, 362
Brush management,83, 87, 319, 321, 554
Brushlands, 298, 319
Bryant, F.C., 330, 420 , 560
Buchloe dactyloides, 40, 483
Buckhouse, John C., 298
Buffalograss, 40
Bultsma, P.M., 398
Bunting, Stephen C., 44
Burning of northern mixed prairie during drought, 398
Burning (prescribed), 44, 111, 116, 237, 277, 387, 392, 398, 491

C

Calf crop, 127
Calf weaning, 127
Callie bermudagrass yield and nutrient uptake with liquid and soil N-P-K fertilizers, 496
Campbell, M.H., 87
Campa III, Henry, 468
Campbell, M.H., 87
Campbell, W.F., 365
Campbell-Kissock, Linda, 442
Capra hircus, 172, 340
Carbaryl, 200
Carbohydrates, 28
Carbohydrates, (total nonstructural), 465
Cardenas, M., 22
Carex filifolia, 25
Carex nebraskensis, 465
Carman, John G., 362
Carrigan, Mike, 420
Cattle behavior on a south Florida range, 248
Cattle diets on seeded clearcut areas in central interior British Columbia, 349
Cattle diets under continuous and four-pasture, one-herd grazing systems in south central New Mexico, 50
Cattle distribution on mountain rangeland in northeastern Oregon, 549
Cave, George H., 277, 491
Centaurea spp., 501
Center, D.M., 476
Ceratoides, spp., 218, 222
Cercocarpus montanus, 321
Cervus elaphus nelsoni, 59
Chamrad, A.D., 340
Change in bacterial populations downstream in a Wyoming mountain drainage basin, 269
Characteristics of oak mottes, Edwards Plateau, Texas, 534
Chemically thinning blue grama range for increased forage and seed production, 412
Child, R.D. 283
Chlopyralid, 40
Chloris gayana, 83
Chow, Paul N.P., 159
Chrysothamnus spp., 373
Circumstances associated with predation rates on sheep and goats, 423
Clark, William R., 438
Claypool, P.L., 147
Climax theories and a recommendation for vegetation classification—A viewpoint, 427
Coleman, G.A., 295
Coleman, S.W., 243
Collins, Alan R., 358
Communal farms, 195
Comparative diets of Rambouillet, Barbado, and Karakul sheep and Spanish and Angora goats, 172
Comparison of grazed and protected mountain steppe rangeland in Ulukişla, Turkey, 133
Competition (bison and cattle), 260
Competition (horses and cattle), 252
Conner, J. Richard, 111, 166
Control of aspen regrowth by grazing with cattle, 156
Control of leafy spurge in pastures using dicamba and 2, 4-D, 159
Controlling individual junipers and oaks with pelleted picloram, 380
Conversion of solar energy into digestible energy: a basis for evaluating range forages?, 25
Cook, C. Wayne, 122
Cooley, Keith R., 529
Copeland, T.D., 406
Copper, 517
Copper and molybdenum uptake by forages grown on coal mine soils, 517
Costs and returns of Angora goat enterprises with and without coyote predation, 166
Cover (plant) loss, 130
Cox, J.R., 7, 204, 377, 507
Coyotes, 423
Cramer, David A., 122
Crested wheatgrass, 353
Cultivars, 229
Currie, Pat O., 503
Cynodan dactylon, 496
Cynomys ludovicianus, 325, 358

D

Dahl, B.E., 152
Dakessian, Suren, 312
Dalen, Raymond S., 380
Dalrymple, R.L., 285
Deer, 64, 67
Deer food habits, 67
Deer mice, 438
Defoliation, 156, 406
Dehydration, 462
Desert ecosystems, 491
Desmanthus velutinus, 185
Dettori, Michael L., 218
Devaurs, Micheline, 523
Dicamba and 2,4-D, 159
Dietary selection and nutrition of Spanish goats as influenced by brush management, 554
Diets of black-tailed jack rabbits in relation to population density and vegetation. 79
Diets of ungulates using winter ranges in northcentral Montana, 67
Digestion trials, 468
Diospyros texana, 189
Discussion of "Biomass and forage production from reclaimed stripmined land and adjoining native range in central Wyoming", by Lang *JRM* 35:755. A viewpoint, 280
Distribution of cattle, 549
Doerr, T.B., 135
Does summer range quality influence sex ratios among mule deer fawns in Utah?, 64
Donart, Gary B., 50
Dormaar, J.F., 31
Douglasfir, 104
Dry season forage selection by alpaca *(Lama pacos)* in southern Peru, 330
Dunn, G.L., 147
Dystric Eutrocrepts, 402

E

Early weaning and part year confinement of cattle on arid rangelands of the southwest, 127
Eck, H.V., 211

Index, Volume 37

Abernethy, Rollin H., 509
Acceptable block beef from steers grazing range and crop forages, 122
Achouri, Moujahed, 451
Adams, John C., 142, 269
Adaptability, 211
Agbakoba, A.M., 415
Age prediction methods, 362
Agropyron desertorum, 353
Agropyron spp., 25, 206, 365
Albedo, 277
Alpaca food habits, 330
Anderson, D.L., 321
Anderson, Jay E., 79
Andropogon gerardi, 147
Ansley, R. James, 509
Antelope, 560
Aristida longiseta, 387
Armijo-T., J. Roberto, 195
Armour, Charles D., 44
Artemisia cana cana, 503
Artemisia nova, 370
Artemisia spp., 262, 298, 353
Asay, K.H., 365
Aspen, 156, 521
Atrazine, 412
Atriplex canescens, 22
Atriplex gardneri, 509

B

Bailey, A.W., 156
Balliette, John F., 218
Baltensperger, Arden A., 77
Beaver, 142
Bedunah, Donald J., 483
Beetle, Alan A., 165, 269
Berg, William A., 180
Bermudagrass, 496
Bethlenfalvay, Gabor J., 312
Big sacaton, 377
Bighorn sheep food habits, 67
Birds, 239
Bison and cattle competition, 260
Black grass bug, 365
Black-tailed prairie dog food habits and forage relationships in western South Dakota, 325
Blackburn, W.H., 265, 291, 303, 534
Blankenship, Lytle H., 442
Blue grama, 28, 40, 412, 447, 514
Bock, Carl E., 239
Bock, Jane H., 239
Booth, D. Terrance, 222, 286
Botanical composition of diets of cattle grazing south Florida rangeland, 334
Bothriochloa spp., 180
Bouteloua gracilis, 25, 28, 412, 447, 514
Bouteloua spp., 40
Bowman, R.A., 225
Bromus inermis, 159
Bromus japonicus, 387
Brotherson, J.D., 321, 362
Brush management,83, 87, 319, 321, 554
Brushlands, 298, 319
Bryant, F.C., 330, 420 , 560
Buchloe dactyloides, 40, 483
Buckhouse, John C., 298
Buffalograss, 40
Bultsma, P.M., 398
Bunting, Stephen C., 44
Burning of northern mixed prairie during drought, 398
Burning (prescribed), 44, 111, 116, 237, 277, 387, 392, 398, 491

C

Calf crop, 127
Calf weaning, 127
Callie bermudagrass yield and nutrient uptake with liquid and soil N-P-K fertilizers, 496
Campbell, M.H., 87
Campa III, Henry, 468
Campbell, M.H., 87
Campbell, W.F., 365
Campbell-Kissock, Linda, 442
Capra hircus, 172, 340
Carbaryl, 200
Carbohydrates, 28
Carbohydrates, (total nonstructural), 465
Cardenas, M., 22
Carex filifolia, 25
Carex nebraskensis, 465
Carman, John G., 362
Carrigan, Mike, 420
Cattle behavior on a south Florida range, 248
Cattle diets on seeded clearcut areas in central interior British Columbia, 349
Cattle diets under continuous and four-pasture, one-herd grazing systems in south central New Mexico, 50
Cattle distribution on mountain rangeland in northeastern Oregon, 549
Cave, George H., 277, 491
Centaurea spp., 501
Center, D.M., 476
Ceratoides, spp., 218, 222
Cercocarpus montanus, 321
Cervus elaphus nelsoni, 59
Chamrad, A.D., 340
Change in bacterial populations downstream in a Wyoming mountain drainage basin, 269
Characteristics of oak mottes, Edwards Plateau, Texas, 534
Chemically thinning blue grama range for increased forage and seed production, 412
Child, R.D. 283
Chlopyralid, 40
Chloris gayana, 83
Chow, Paul N.P., 159
Chrysothamnus spp., 373
Circumstances associated with predation rates on sheep and goats, 423
Clark, William R., 438
Claypool, P.L., 147
Climax theories and a recommendation for vegetation classification—A viewpoint, 427
Coleman, G.A., 295
Coleman, S.W., 243
Collins, Alan R., 358
Communal farms, 195
Comparative diets of Rambouillet, Barbado, and Karakul sheep and Spanish and Angora goats, 172
Comparison of grazed and protected mountain steppe rangeland in Ulukişla, Turkey, 133
Competition (bison and cattle), 260
Competition (horses and cattle), 252
Conner, J. Richard, 111, 166
Control of aspen regrowth by grazing with cattle, 156
Control of leafy spurge in pastures using dicamba and 2, 4-D, 159
Controlling individual junipers and oaks with pelleted picloram, 380
Conversion of solar energy into digestible energy: a basis for evaluating range forages?, 25
Cook, C. Wayne, 122
Cooley, Keith R., 529
Copeland, T.D., 406
Copper, 517
Copper and molybdenum uptake by forages grown on coal mine soils, 517
Costs and returns of Angora goat enterprises with and without coyote predation, 166
Cover (plant) loss, 130
Cox, J.R., 7, 204, 377, 507
Coyotes, 423
Cramer, David A., 122
Crested wheatgrass, 353
Cultivars, 229
Currie, Pat O., 503
Cynodan dactylon, 496
Cynomys ludovicianus, 325, 358

D

Dahl, B.E., 152
Dakessian, Suren, 312
Dalen, Raymond S., 380
Dalrymple, R.L., 285
Deer, 64, 67
Deer food habits, 67
Deer mice, 438
Defoliation, 156, 406
Dehydration, 462
Desert ecosystems, 491
Desmanthus velutinus, 185
Dettori, Michael L., 218
Devaurs, Micheline, 523
Dicamba and 2,4-D, 159
Dietary selection and nutrition of Spanish goats as influenced by brush management, 554
Diets of black-tailed jack rabbits in relation to population density and vegetation. 79
Diets of ungulates using winter ranges in northcentral Montana, 67
Digestion trials, 468
Diospyros texana, 189
Discussion of "Biomass and forage production from reclaimed stripmined land and adjoining native range in central Wyoming", by Lang *JRM* 35:755. A viewpoint, 280
Distribution of cattle, 549
Doerr, T.B., 135
Does summer range quality influence sex ratios among mule deer fawns in Utah?, 64
Donart, Gary B., 50
Dormaar, J.F., 31
Douglasfir, 104
Dry season forage selection by alpaca *(Lama pacos)* in southern Peru, 330
Dunn, G.L., 147
Dystric Eutrocrepts, 402

E

Early weaning and part year confinement of cattle on arid rangelands of the southwest, 127
Eck, H.V., 211

Economic analysis of black-tailed prairie dog [*Cynomys ludovicianus*] control, 358
Economic analysis of two systems and three levels of grazing on ponderosa pine-bunchgrass range, 309
Economic evaluation of chemical mesquite control using 2,4,5-T, 152
Economic evaluation of fire-based improvement systems for Macartney rose, 111
Economic use, 200, 358
Economics of controlling serrated tussock in the southeastern Australian rangelands, 87
Ecophysiological studies of *Eleusine indica* (L.) Gaertn. and *Sporobolus pyramidalis* P. Beauv. at Ibadan, Nigeria, 275
Edaphic and microclimate factors affecting tobosagrass regrowth after fire, 116
Effect of phytophagous nematode grazing on blue grama die-off, 447
Effect of shade and planting depth on the emergence of fourwing saltbush, 22
Effects of fire on Texas wintergrass communities, 387
Effects of herbicides on germination and seedling development of three native grasses, 40
Effects of livestock grazing on infiltration rates, Edwards Plateau of Texas, 265
Effects of livestock grazing on sediment production, Edwards Plateau of Texas, 291
Effects of planting depth and soil texture on the emergence of four lovegrass, 204
Effects of soil disturbance on plant succession and levels of mycorrhizal fungi in a sagebrush-grassland community, 135
Effects of temporary dehydration on growth of green needlegrass (*Stipa viridula* Trin.) seedlings, 462
Eklaka rangeland, 529
Eleusine indica, 275
Elk, 59, 67
Elk food habits, 67
Elymus spp., 206, 225
Emergence and seedling survival of two warm-season grasses as influenced by the timing of precipitation: a greenhouse study, 7
Energy (radiant), 25
Engle, D.M., 140, 398
Eragrostis spp., 204
Erosion, 291, 295, 298
Establishment of diffuse and spotted knapweed from seed on disturbed ground in British Columbia, Canada, 501
Estimating-grazingland yield from commonly available data, 471
Ethridge, D.E., 152
Euphorbia escula, 159
Eurotia lanata, 286
Evaluating soil water models on western range lands, 529
Evaluation of air threshing for small lots of winterfat fruits, 286
Evans, Raymond A.,19, 218, 373
Everitt, J.H., 189
Exclosures, 239

F

Farfan, R.D., 330
Fecal analysis, 256, 340, 560
Fertilization, 406, 415
Fertilizer uptake, 496
Finkner, M.D., 127
Fire effects, 44, 104, 277, 402
Fire effects of nitrogen mineralization and fixation mountain shrub and grassland communities, 402
Fire intensity effects on the understory in ponderosa pine forests, 44
Fire potential, 104
Fire temperatures and physical characteristics of a controlled burn in the upper Sonoran Desert, 277
Fistulated animals, 476
Fitzgerald, R.D., 156
Flatwoods range, 36, 334
Food habits (leparids), 256
Forage collection, 476
Forage preferences of livestock in the arid lands of northern Kenya, 542
Forage production estimates, 94
Forage production model, 3, 25
Forage quality, 83, 122, 211, 233, 343
Forage response of a mesquite-buffalograss community following range rehabilitation, 483
Forage selection, 50, 172, 260, 330, 334, 340, 343, 349, 542, 554, 560
Forage use, 140
Forage quality responses of selected grasses to tebuthiuron, 83
Forage yield and quality of dryland grasses and legumes, 233
Forage yield of Japanese honeysuckle after repeated burning or mowing, 237
Forage yields, 3, 233, 237, 471
Forest range, 156, 229
Foster, M.A., 317
Frasier, G.W., 7
Frazer, B.D., 501
Fulbright, Timothy E., 462

G

Gall fly, 501
Gambel oak, 380
Gamougoun, N. Dedjir, 538
Garoian, L., 111
Germination of knapweed, 501
Germination of lovegrasses, 507
Germination of seeds of 'Paloma' and 'Nezpar' Indian ricegrass, 19
Germination of Texas persimmon seed, 189
Germination profiles of introduced lovegrasses at six constant temperatures, 507
Gibbens, R.P., 22
Gifford, Gerald F., 451, 523
Gillen, R.L., 549
Giurgevich, Bob, 280
Glandular trichomes: a helpful taxonomic character for *Artemisia nova* (Black sagebrush), 370
Glyphosate, 412
Goat food habits, 172
Goats, 166, 554
Grass species adaptability in the southern high plains—a 36-year assessment, 211
Grasshoppers, 200
Grasslands, 100, 398
Grazing distribution, 140
Grazing effects, 55, 104, 133, 142, 156, 239, 262, 265, 269, 291, 303, 312, 430, 442, 538
Grazing effects on mycorrhizal colonization and floristic composition of the vegetation on a semi-arid range in northern Nevada, 312
Grazing habits, 248, 252, 549
Grazing management impact on quail during drought in the Northern Rio Grande Plain, Texas, 442
Grazing systems, 50, 309, 442
Great Plains grasslands, 398
Griffith, Larry W., 286

H

Habitat relations of *Cercocarpus montanus* (true mountain mahogany) in central Utah, 321
Habitat use, 79
Hafercamp, M.R., 185, 406
Hagedorn, Charles, 229
Hake, D.R., 147
Hakonson, T.E., 12
Hansen, H.D., 365
Hansen, R.M., 256, 283
Hanson, Clayton L., 3
Harper, K.T., 64
Harrison, A.T., 55
Haufler, Jonathan B., 468
Haws, B.A., 365
Hawthorne, Vernon M., 239
Heat stress, 243
Hennessy, J.T., 22
Herbaceous vegetation-lotebush [*Ziziphus obtusifolia* T. & G.) Gray var. *obtusifolia*] interactions in north Texas, 317
Herbage yields and water-use efficiency on a loamy site as affected by tillage, mulch, and seeding treatments, 180
Herbel, C.H., 127
Herbicide, 159, 483, 488
Herbicide translocation, 159
Higgins, Kenneth F., 100
Hilaria mutica, 116
Hingtgen, Terrence M., 438
Hobbs, N. Thompson, 402
Honeysuckle, 237
Horn, F.P., 243
Horse and cattle plant competition, 72, 130
Horses, 72, 130, 252
Horses and cattle grazing in the Wyoming Red Desert, I. Food habits and dietary overlap, 72
Horses and cattle grazing in the Wyoming Red Desert, II. Dietary quality, 252
Horses and cattle grazing on the Wyoming Red Desert, III., 130
Hubbert, M.E., 72, 130, 252
Huffman, Anthony H., 40
Hydrology, 265, 269, 291, 295, 523, 529
Hydrology and yield model, 529

I

Impact of presowing seed treatment, temperature and seed coats on germination of velvet bundleflower, 185
Impact of small mammals on the vegetation of reclaimed land in the northern Great Plains, 438
Improved esophageal fistula bag for sheep, 476
Infiltration rate, 451
Infiltration (soil), 116, 133, 265, 534
Infiltration variability, 523
Influence of range seeding on rodent populations in the interior of British Columbia, 163
Insect control (chemical), 200
Insect resistance, 365
Insects (grazing), 365
Introduced species, 211
Irby, Lynn R., 67

J

Jackrabbit food habits, 79
Jacoby Jr., Pete W., 40, 317
Jameson, Donald A., 195
Jewett, T.K., 252

Johnsen, Jr., Thomas N., 380
Johnson, M.K., 334
Johnson, Patricia S., 262
Johnston, A., 31
Johnston, Robert S., 521
Jolley, Von D., 496
Jones, M.B., 476
Jones, V.E., 488
Juniper, 380
Juniperus spp., 380

K
Kalmbacher, R.S., 36, 334
Kansas Flint Hills, 392
Karn, J.F., 565
Kasworm, Wayne F., 67
Kauffman, J. Boone, 430
Kay, B.L., 373
Kelsey, Rick G., 370
Kenney, William R., 239
Kenya, 542
Knapweed, 501
Knight, R.W., 534
Knight, William E., 229
Koeleria pyramidata, 25
Koerth, B.H., 560
Kossock, D.C., 185
Krueger, W.C., 430, 549
Krysl, L.J., 72, 130, 252 , 560

L
Labops hesperius, 365
Lama pacos, 330
Lance, William R., 59
Lane, L.J., 12
Laycock, William A., 447
Leaf area nonstructural carbohydrates, root growth characteristics of blue grama seedlings, 514
Leafy spurge, 159
Legumes, 77, 229, 415, 517
Leptochloa dubia, 83
Lepus californicus, 79
Lightning fires in North Dakota grasslands and in pine-savanna lands of South Dakota and Montana, 100
Litter, 55
Livestock grazing influences on community structure, fire intensity, and fire frequency within the Douglas-fir ninebark habitat type, 104
Livestock impacts on riparian ecosystems and streamside management implications . . . A review, 430
Locoweed poisoning in a northern New Mexico elk herd, 59
Long, K.R., 36, 334
Long-term effects of annual burning at different dates in ungrazed Kansas tallgrass prairie, 392
Lonicera japonica, 237
Lopes, Expedito A., 554
Lorenz, R.J., 565
Lotebush, 319
Lovegrasses, 204, 507
Low rates of tebuthiuron for control of sand shinnery oak, 488
Lusigi, W.J., 542
Lynch, Greg, 423

M
Macartney rose, 111
MacCracken, James G., 256
Madany, Michael H., 456
Malathion, 200
Mammah, O.A., 415
Marginal benefits of grazing and agricultural practices on a Mexican ejido, 195
Marlow, Clayton B., 25
Marsh (freshwater), 248
Martin, F.G., 36, 248, 334
Martin, Martha H., 204, 507
Masheti, S., 542
Masters, Robert A., 83
McCalla II, G.R., 265, 291
McGinnies, W.J., 225, 412
McLean, A., 501
McPherson, J.K., 147
Medicago spp., 77
Medina-T., J. Galo, 195
Meeker, Jr., Donald O., 427
Menzel, R.G., 295
Merkel, Daniel, 427
Merrill, L.B., 265, 291, 534
Mesquite,22, 116, 152, 420, 483
Mesquite dunelands, 22
Method for estimating injury levels for control of rangeland grasshoppers with malathion and carbaryl, 200
Meyerhoeffer, D.C., 243
Microhistological analysis, 340
Miller, R.F., 549
Mills, Thomas, 420
Mineral content, 36
Mining reclamation, 517, 521
Molydenosis, 517
Mooso, Galen D., 496
Morphogenesis, 503
Morrison, Dennis, 447
Mountain range, 549
Mountainmahogany, 321
Mueller, D.M., 225
Mulching, 180
Munshower, Frank F., 517
Murray, Robert B., 343
Mycorrhizal fungi, 135, 312

N
Nass, Roger D., 423
Nassella trichomata, 87
Natural establishment of aspen from seed on a phosphate mine dump, 521
Nava C., Roberto, 195
Nebraska sedge, 465
Needlegrass, 462
Nelson, Sheldon D., 496
Nematodes, 447
Neuenschwander, Leon F., 44, 104, 116
Neuman, Dennis R., 517
Neutron probe, 503
Nigeria, 415
Ninebark, 104
Nitrogen fixation estimates for some native and introduced legumes, forbs, and shrubs, 77
Nitrogen mineralization, 402
Nkurunziza, E.R., 542
Nonstructural carbohydrates and root development in blue grama seedlings, 28
Nutrient analysis, 560
Nutrient content, 554
Nutrition of beef cattle, 122

O
Oak motte, 534
Ogle, Philip R., 280
Omaliko, C.P.E., 415
Onobrychis viciaefolia, 438
Onsager, Jerome A., 200
Oryzopsis hymenoides, 19
Ovis aries, 172
Owens, M. Keith, 262
Owensby, Clenton, 392
Oxytropis sericea, 59
Ozone-treated mesquite for supplementing steers in west Texas, 420

P
Pac, Helga B. Ihsle, 67
Palatability, 334, 349
Panicum hemitomon, 36, 334
Panicum virgatum, 406
Paspalum notatum, 83
Patten, Duncan T., 277, 491
Pearson, Henry A., 229
Pederson, Jordan C., 64
Persistence and colonizing ability of rabbitbrush collections in a common garden, 373
Pettit, R.D., 488
Pfister, James A., 50
Phenological development and water relations in plains silver sagebrush, 503
Phosphate mining, 521
Physocarpus malvaceus, 104
Pickup grass seed stripper, 285
Picloram, 40
Pieper, Rex D., 50, 538
Pinus ponderosa, 44
Pitts, John S., 420
Plant communities, 542
Plant control, 111, 237
Plant control (biological), 156, 501
Plant control (brush), 483, 488, 491
Plant control (chemical), 152, 159, 380
Plant growth, 206, 377
Plant hardiness, 373
Plant morphology, 275, 365
Plant phenology, 503
Plant production, 471
Plant succession, 44, 116, 135, 211, 262, 456
Plant survival, 373
Plant water requirements, 7, 12
Planting depth, 204
Plumb, G.E., 72, 130, 252
Poisonous plants, 59
Ponderosa pine, 44
Ponderosa pine/bunchgrass range, 309
Populus tremuloides, 156, 521
Potvin, M.A., 55
Powell, J., 147
Prairie dog food habits, 325
Prairie dogs, 325, 358
Prairie (tallgrass), 392
Predation, 423
Predation (coyote), 166
Predication of sediment yield from Southern Plains Grassland with the modified universal soil loss equation, 295
President's address, 99
Prosopis glandulosa, 116, 152, 420, 483
Provenza, Frederick D., 262
Pseudotsuga menziesii, 104

Q
Quail, 442
Quercus havardii, 488
Quercus spp., 380
Quercus virginiana, 534
Quigley, Thomas M., 309
Quinton, Dee A., 349

R
Rabbitbrush, 373
Ranch economics, 358
Range economics, 127, 152, 166, 195, 309
Range improvements, 180
Range renovation, 211
Ratliff, Raymond R., 465

Reclamation, 135, 280
Redente, E.F., 135, 462
Reeves, F.B., 135
Regression analyses, 471
Reliability of captive deer and cow in vitro digestion values in predicting wild deer digestion levels, 468
Relict areas, 456
Repellants (cattle), 140
Repellent effects on distribution of steers on native range, 140
Reproduction (bulls), 243
Responses of birds, rodents, and vegetation to livestock exclosure in a semidesert grassland site, 239
Revegetation, 438, 462, 509, 514, 521
Review of black grass bug resistance in forage grasses, 365
Ricegrass, 19
Riparian ecosystems, 269, 430
Ritenour, Gary L., 465
Rittenhouse, Larry, 122
Robertson, David C., 529
Rodent control, 358
Rodents, 163, 239, 256, 353
Roehrkasse, Glenn P., 269
Romney, E.M., 12
Root growth, 28, 462, 514
Roots (adventitious), 514
Rosa bracteata, 111
Roze, L.D., 501
Rumen analysis, 283
Ruminal digestion consistency of Zebu cattle, 283
Ruminant nutrition, 420
Runoff, 298, 451

S

Sagebrush, 298, 353, 370, 503
Sagebrush-grass, 252
Sagebrush-grass range, 343
Sainfoin, 438
Salt cedar, 362
Saltbush, 22, 509
Sampling methods, 94, 283
Sandoval, L.D., 248
Savannahs, 100, 415
Schimel, David S., 402
Schimmel, J.G., 140
Schizachyrium scoparium, 83, 147
Schizachyrium stoloniferum, 36, 334
Scifres, C.J., 83, 111, 317, 387
Scifres, Charles, 83
Scrivner, Jerry H., 166
Seasonal changes in carbon content, and dehydrogenase, phosphatase, and urease activities in mixed prairie and fescue grassland Ah horizons, 31
Seasonal foods of blacktail jackrabbits and nuttall cottontails in southeastern Idaho, 256
Seasonal mineral concentration in diets of esophageally fistulated steers on three range areas, 36
Seasonal variation, 36, 451, 465
Seasonal variation in total nonstructural carbohydrate levels in Nebraska sedge, 465
Sediment yields, 291
Seed germination rates, 19, 218, 222
Seed harvest, 285, 286
Seed polymorphism, 19
Seed pretreatments and their effects on field establishment of spring-seeded Gardner saltbush, 509
Seed scarification, 185, 509
Seed threshing, 222, 286
Seeded stands, 163
Seeding, 204, 206
Seedling emergence, 189, 509
Seedling establishment, 28, 514
Semen characteristics and behavior of grazing bulls as influenced by shade, 243
Semen quality, 243
Serrated tussock, 87
Sex ratio, 64
Shade, 243
Shade tolerance, 229
Shade tolerance of grass and legume germplasm for use in the southern forest range, 229
Sharma, B.M., 275
Sharrow, Steven H., 94
Sheep food habits, 172, 343, 476
Shelton, J.M., 172, 340
Shinnery oak, 488
Shoot growth and development of Alamo switchgrass as influenced by mowing and fertilization, 406
Shoot production and biomass transfer of big sacaton [*Sporobolus wrightii*], 377
Short-term vegetation responses to fire in the Upper Sonoran Desert, 491
Shrub growth, 402
Shrublands, 321
Sideoats grama, 40
Simple disc for measurement of pasture height and forage bulk, 94
Sims, Phillip L., 180, 211
Skinner, Quentin D., 142, 269
Skovlin, Jon M., 309
Small mammal abundance on native and improved foothill ranges, Utah, 353
Smith, Courtney B., 353
Smith, Mark A., 77, 130, 252
Smith, Michael, 142
Smith, Roger P., 538
Smith, S.J., 295
Smoliak, S., 31
Soil analysis, 31, 204
Soil analysis (chemical), 225
Soil and nitrogen loss from Oregon lands occupied by three subspecies of big sagebrush, 298
Soil moisture, 7, 12
Soil nutrients, 31, 225
Soil-plant-air-water model, 529
Soil-plant factors in early browning of Russian wildrye on the natrustoll soils, 225
Soil-plant relationships, 31, 456
Soil (saline), 225
Soil stabilization, 534
Soil surface treatments, 180
Soil temperature, 22, 116
Soil texture, 204
Soil water, 147, 529
Soil water repellancy, 277
Soil, vegetation, and hydrologic responses to grazing management at Fort Stanton, New Mexico, 538
Some aspects of rangeland improvement in a derived savanna ecosystem, 415
Sosebee, R.E., 152, 483
Sowell, B.F., 72, 252, 560
Spanish goat diets on mixed-brush rangeland in the South Texas Plains, 340
Spatial and seasonal variability and field measured infiltration rates on a rangeland site in Utah, 451
Speck, Jr., John E., 142
Sporobolus pyramidalis, 275
Sporobolus wrightii, 377
Stand establishment: the role of seedling size and winter injury in early growth of three perennial grass species, 206
Stanton, Nancy L., 447
Steele, Judith M., 465
Stem-diameter age relationship of *Tamarix ramesissima* in central Utah, 362
Stipa comata, 25
Stipa leucotricha, 387
Stipa viridula, 462
Stocking rate, 309
Stranksy, John J., 237
Stream contamination, 142, 269
Stream water quality as influenced by beaver within grazing systems in Wyoming, 142
Stuth, Jerry W., 554
Sullivan, Druscilla S., 163
Sullivan, Thomas P., 163
Summer diets of bison and cattle in southern Utah, 260
Summer range, 64
Supplemental feeding, 420, 565
Swanson, Sherman R., 298
Switchgrass, 406
Szyska, L.A., 321, 362

T

2,4-D, 412, 483
2,4,5-T, 40, 152
Tallgrass prairie, 147
Tamarix ramosissima, 362
Tanner, G.W., 248
Taxonomy, 165, 370
Tebuthiuron, 83, 488, 554
Temperature profiles for germination of two species of winterfat, 218
Texas persimmon, 189
Theade, John, 423
Threshing damage to radical apex affects geotropic response of winterfat, 222
Tilling, 180
Tobosagrass, 116
Towne, Gene, 392
Trampling (by cattle and horses), 130
Triclopyr, 40
Tukel, Tuncay, 133

U

Ueckert, D.N., 172, 340, 387
Uresk, Daniel W., 325, 358
Urness, Philip J., 353
Using weather records with a forage production model to forecast range forage production, 3
Utilization cages, 565

V

VanVuren, Dirk, 260
Variability of infiltration within large runoff plots on rangelands, 523
Vegetation and litter changes of a Nebraska sandhills prairie protected from grazing, 55
Vegetation and soil responses to cattle grazing systems in the Texas Rolling Plains, 303
Vegetation change after 13 years of livestock grazing exclusion on sagebrush semidesert in west central Utah, 262
Vegetation classification, 427
Vegetation of two relict mesas in Zion National Park, 456
Velvet bundleflower, 185

Vere, D.T., 87
Viewpoint: Trinomials are in poor taste, 165

W

Waggoner, J.W., 130, 252
Wallace, Joe D., 50, 127
Wanyama, J.M., 283
Wapiti, 59
Warren, L.E., 172, 340
Water balance calculations and net production of perennial vegetation in the Northern Mojave Desert, 12
Water deficiency, 225
Water quality, 269
Water stress, 12, 147
Water stress of tallgrass prairie plants in central Oklahoma, 147
Watson, Vance H., 229
Webster, R.D., 185
Webb, Bruce L., 496
West, Neil E., 262, 456
Wheatgrasses, 365
Whisenant, S.G., 387
White, Larry D., 442
White, Larry M., 233
White, Richard S., 206, 503
Whitmer, Duane, 3
Whittington, D.L., 283
Wiggers, Ernie P., 420
Wight, J. Ross, 3, 233
Williams, Bryan D., 521
Williams, J.R., 295
Wilson, A.M., 28, 462, 514
Winter grazing, 412
Winter injury, 206
Winter range, 67
Winterfat, 218, 222, 286
Wisiol, Karin, 471
Wolfe, Gary J., 59
Wood, M. Karl, 303, 538
Woodyard, David K., 468
Woolhiser, D.A., 7
Workman, John P., 309, 358
Wright, Henry A., 116

X

Xeric sites, 362

Y

Yarbrough, C.C., 127
Yields, nutrient quality, and palatability to sheep of fourteen grass accessions for potential use on sagebrush-grass range in southeastern Idaho, 343
Young, James A., 19, 116, 122, 218, 373
Youtie, Berta A., 23

Z

Zebu cattle, 283
Zimmerman, G., Thomas, 104
Ziziphus obtusifolia, 319